



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE IT3120172
SITENAME Monti Lessini - Piccole Dolomiti

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

| | | |
|----------------------|-----------------------------------|-----------------------------|
| 1.1 Type B | 1.2 Site code IT3120172 | Back to top |
|----------------------|-----------------------------------|-----------------------------|

1.3 Site name

Monti Lessini - Piccole Dolomiti

| | |
|--|-----------------------------------|
| 1.4 First Compilation date 2010-09 | 1.5 Update date 2013-10 |
|--|-----------------------------------|

1.6 Respondent:

Name/Organisation: Provincia Autonoma di Trento Ufficio Biotopi e Rete Natura 2000
Address: Via Guardini, 75 - 38121 TRENTO
Email: uff.biotopi@provincia.tn.it

| | |
|---|--|
| Date site proposed as SCI: | 2010-10 |
| Date site confirmed as SCI: | No data |
| Date site designated as SAC: | 2014-03 |
| National legal reference of SAC designation: | DM 28/03/2014 - G.U. 94 del 23-04-2014 |

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

Longitude

11.0792

Latitude

45.7105

2.2 Area [ha]:

4336.0

2.3 Marine area [%]

0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name**NUTS level 2 code****Region Name**

ITD2

Provincia Autonoma Trento

2.6 Biogeographical Region(s)Alpine (100.0
%)**3. ECOLOGICAL INFORMATION**[Back to top](#)**3.1 Habitat types present on the site and assessment for them**

| Annex I Habitat types | | | | | | Site assessment | | | |
|-----------------------|----|----|------------|---------------|--------------|------------------|------------------|--------------|--------|
| Code | PF | NP | Cover [ha] | Cave [number] | Data quality | A B C D | A B C | | |
| | | | | | | Representativity | Relative Surface | Conservation | Global |
| 3240 | | | 0.01 | | | D | | | |
| 4060 | | | 48.56 | | | B | C | B | B |
| 4070 | | | 691.16 | | | B | C | B | B |
| 6170 | | | 498.64 | | | A | C | B | A |
| 6210 | | | 0.16 | | | C | C | B | B |
| 6230 | | | 0.01 | | | D | | | |
| 6430 | | | 13.01 | | | C | C | B | B |
| 6520 | | | 0.87 | | | D | | | |
| 7230 | | | 0.01 | | | D | | | |

| | | | | | | | | | | | | | | |
|---|------|--|--|--|---|--|--|--|---|----|---|---|---|---|
| B | A236 | martius | | | p | | | | R | DD | C | B | C | B |
| B | A103 | Falco peregrinus | | | p | | | | V | DD | C | A | C | A |
| B | A096 | Falco tinnunculus | | | r | | | | C | DD | C | A | C | A |
| B | A217 | Glaucidium passerinum | | | p | | | | C | DD | C | B | C | B |
| B | A073 | Milvus migrans | | | p | | | | P | DD | C | A | C | C |
| B | A358 | Montifringilla nivalis | | | p | | | | C | DD | D | | | |
| B | A277 | Oenanthe oenanthe | | | r | | | | C | DD | C | A | C | A |
| B | A072 | Pernis apivorus | | | p | | | | P | DD | C | A | C | C |
| B | A275 | Saxicola rubetra | | | r | | | | C | DD | C | B | C | C |
| B | A308 | Sylvia curruca | | | r | | | | C | DD | C | B | C | C |
| B | A409 | Tetrao tetrix tetrix | | | p | | | | P | DD | C | A | C | A |
| B | A108 | Tetrao urogallus | | | p | | | | R | DD | C | A | C | A |

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

| Species | | | | | Population in the site | | | | Motivation | | | | | |
|---------|------|---|---|----|------------------------|-----|------|---------|---------------|---|------------------|---|---|---|
| Group | CODE | Scientific Name | S | NP | Size | | Unit | Cat. | Species Annex | | Other categories | | | |
| | | | | | Min | Max | | C R V P | IV | V | A | B | C | D |
| P | | Allium ochroleucum | | | | | | P | | | | | | X |
| P | | Androsace hausmannii | | | | | | R | | | | | | X |
| P | | Androsace lactea | | | | | | V | | | X | | | |
| P | | Arctostaphylos uva-ursi | | | | | | P | | | | | X | |

| | | | | | | | | | | | | | | |
|---|------|--|--|--|--|--|--|---|--|---|--|---|--|---|
| P | 1762 | Arnica montana | | | | | | P | | X | | | | |
| P | | Bromus ramosus | | | | | | P | | | | | | X |
| I | | Broscosoma baldense | | | | | | R | | | | | | X |
| A | | Bufo bufo | | | | | | C | | | | X | | |
| P | | Campanula latifolia | | | | | | R | | | | | | X |
| P | | Campanula witasekiana | | | | | | R | | | | | | X |
| M | | Capreolus capreolus | | | | | | C | | | | X | | |
| P | | Cardamine trifolia | | | | | | P | | | | | | X |
| P | | Cephalanthera longifolia | | | | | | P | | | | X | | |
| M | | Cervus elaphus | | | | | | C | | | | X | | |
| P | | Cirsium carniolicum | | | | | | R | | | | | | X |
| P | | Coeloglossum viride | | | | | | P | | | | X | | |
| P | | Cyclamen purpurascens | | | | | | P | | | | X | | |
| P | | Dactylorhiza fuchsii | | | | | | P | | | | X | | |
| P | | Dactylorhiza majalis | | | | | | R | | | | X | | |
| P | | Dactylorhiza sambucina | | | | | | P | | | | X | | |
| M | | Eliomys quercinus | | | | | | C | | X | | | | |
| P | | Epipactis atrorubens | | | | | | P | | | | X | | |
| P | | Epipactis helleborine | | | | | | P | | | | X | | |
| P | | Euphorbia nicaeensis | | | | | | P | | | | | | X |
| P | | Festuca stenantha | | | | | | R | | | | | | X |
| P | 1866 | Galanthus nivalis | | | | | | P | | X | | | | |
| M | | Glis glis | | | | | | C | | X | | | | |
| P | | Grafia golaka | | | | | | P | | | | | | X |
| P | | Gymnadenia conopsea | | | | | | P | | | | X | | |
| P | | Gymnadenia odoratissima | | | | | | P | | | | X | | |
| P | | Gymnocarpium dryopteris | | | | | | P | | | | X | | |

| | |
|----------------------------|-----|
| N17 | 1.0 |
| Total Habitat Cover | 100 |

Other Site Characteristics

Area montano-dolomitica situata in ambiente marcatamente prealpino, caratterizzata da guglie e vasti ghiaioni intervallati da praterie alpine, mughete, estesi boschi di latifoglie e di abete bianco, nonché pascoli e praterie regolarmente alpeggiati.; nelle parti più basse sono presenti significativi lembi di faggeta di impronta illirica e molti valloni. Il sito comprende le piccole dolomiti della Vallarsa, il sottogruppo del Baffelan, la testata e il versante sinistro della val d'Ala ed i pascoli alpestri della Lessinia.

4.2 Quality and importance

Area a naturalità elevata che rappresenta il limite occidentale di numerose specie a gravitazione orientale. E' presente un significativo gruppo di specie endemiche. Il sito è di rilevante interesse nazionale e/o provinciale per la presenza e la riproduzione di specie animali in via di estinzione, importanti relitti glaciali, esclusive e/o tipiche delle Alpi. Presenza di invertebrati legati a boschi maturi e integri di latifoglie, con alcune specie floristiche di rilievo. Nei boschi montano-mesofili sono tra l'altro assai diffusi il tasso e l'agrifoglio. Nella parte più ad ovest estese aree pascolive tuttora regolarmente gestite con alpeggio di bovini.

5. SITE PROTECTION STATUS (optional)

[Back to top](#)

5.1 Designation types at national and regional level:

| Code | Cover [%] | Code | Cover [%] | Code | Cover [%] |
|------|-----------|------|-----------|------|-----------|
| IT00 | 100.0 | | | | |

6. SITE MANAGEMENT

[Back to top](#)

6.1 Body(ies) responsible for the site management:

| | |
|---------------|---|
| Organisation: | PAT - Ufficio Biotopi e Rete Natura2000 |
| Address: | via Guardini, 75 - 38121 Trento |
| Email: | uff.biotopi@provincia.tn.it |

6.2 Management Plan(s):

An actual management plan does exist:

| | |
|-------------------------------------|------------------------|
| <input type="checkbox"/> | Yes |
| <input type="checkbox"/> | No, but in preparation |
| <input checked="" type="checkbox"/> | No |

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

F. 150 1:25000 Gauss-Boaga